

Product Catalog 2022



Turning Vision Into Reality.




implanet™ is a worldwide rapidly growing and innovative manufacturer of premium-quality dental implant systems and related medical devices. Our implant systems can be found in Tens of thousands healed patients around the world. Our Company is based in Israel, manufactures and distributes Dental products for professionals in both Domestic and International Markets, Developed according to the most strict international standards. We strive to offer our customers the best value for their money along with fast and attentive service.



Implants

6 - 35


| | |
|------------------------------|---------|
| Neo® Spiral Implant | 10 - 17 |
| U-Razor® Cylindrical Implant | 20 - 27 |
| Onix® One Piece Implant | 30 - 35 |



Digital Solutions

72 - 75


| | |
|-----------------------|----|
| CAD/CAM Interfaces | 74 |
| Digital Model Analogs | 75 |



Prosthetics

36 - 63

| | |
|---------------------|---------|
| Healing Abutments | 38 - 41 |
| Titanium Abutments | 42 - 49 |
| Castable Abutments | 50 - 51 |
| Zirconia Abutments | 52 - 53 |
| Temporary Abutments | 54 - 55 |
| Impression Copings | 56 - 59 |
| Implant Analogs | 60 - 62 |
| Prosthetic Screws | 62 - 63 |



Bio Materials

76 - 77

| | |
|----------------------|---------|
| Bone Graft Materials | 78 - 79 |
|----------------------|---------|



Multi Systems

64 - 71

| | |
|---------------------|---------|
| Ball Attachment | 66 - 67 |
| Click Attachment | 68 - 69 |
| Straight Multi Unit | 70 |
| Angled Multi Unit | 71 |




Tools

80 - 95


| | |
|------------------------|---------|
| Implant Drivers | 82 |
| Screw Drivers | 83 |
| Instruments & Wrenches | 84 |
| Drills | 85 - 87 |
| Drill Stoppers | 88 - 89 |
| Surgical Kits | 90 - 95 |





Implants





Neo[®]

Neo®

Spiral Self Drilling Dental Implant

For the past 10 years, Neo® implant is our best-selling implant due to its diverse capabilities to suit every clinical procedure with any bone type. The Neo® Initial stability along with its superior bone preservation, creates proven successful and lifetime clinical results.




- Color coding**
Color coding by platform for quick & easy identification during procedures.
- Platform Switching**
To keep the abutment connection away from the bone to allow better growth of the soft tissue.
- Micro Threads**
Combination of micro threads with a top seal micro ring for a significant increase in bone and implant connection.
- Primary Stability**
Unique dual thread design with tapered body for faster insertion and optimized stability.
- S.L.A Surface Treatment**
Sand blasting and acid etching surface
Creates both micro and nano structures for optimal osseointegration.
- Thread Design**
Tapered interior body with gradually aggressive threads for bone condensing.
- Self Drilling Features**
Sharp bottom thread combined with slightly domed apex for safe insertion while keeping self drilling capabilities.

Neo®

Implant Range

*NP 2.1 mm HEX



| L / Ø | Ø2.9 | Ø3.3 | Ø3.5 | Ø3.75 | Ø4.2 | Ø5.0 | Ø6.0 |
|--------------|-------------|-------------|-------------|--------------|-------------|-------------|-------------|
| 6mm | ---- | NEO-3306-NP | NEO-3506-SP | NEO-3706-SP | NEO-4206-SP | NEO-5006-SP | NEO-6006-SP |
| 8mm | NEO-2908-NP | NEO-3308-NP | NEO-3508-SP | NEO-3708-SP | NEO-4208-SP | NEO-5008-SP | NEO-6008-SP |
| 10mm | NEO-2910-NP | NEO-3310-NP | NEO-3510-SP | NEO-3710-SP | NEO-4210-SP | NEO-5010-SP | NEO-6010-SP |
| 11.5mm | NEO-2911-NP | NEO-3311-NP | NEO-3511-SP | NEO-3711-SP | NEO-4211-SP | NEO-5011-SP | NEO-6011-SP |
| 13mm | NEO-2913-NP | NEO-3313-NP | NEO-3513-SP | NEO-3713-SP | NEO-4213-SP | NEO-5013-SP | NEO-6013-SP |
| 16mm | NEO-2916-NP | NEO-3316-NP | NEO-3516-SP | NEO-3716-SP | NEO-4216-SP | NEO-5016-SP | ---- |
| APEXØ | Ø2.2 | Ø2.4 | Ø2.6 | Ø2.85 | Ø3.3 | Ø4.1 | Ø5.1 |



NP
2.1 Hex
SP
2.42 Hex

Neo®

Mountless Implant Packaging System



Neo®

Mounted Implant Packaging System




Implant Identification & warranty label

| | |
|---------------------------------|-------------|
| NEO® IMPLANET 2.42 Internal Hex | |
| NEO Ø4.2 -10mm | |
| REF | NEO-4210-SP |
| LOT | 21-1327 |
| | 12-2023 |
| STERILE | R |

Ø 4.2
L10.0

Diameter & Length Label



Neo®

Drilling Procedure

| | | | | |
|----------------|-----------|----------|----------|-------|
| Drilling Speed | 1200-1500 | 900-1200 | 800-1200 | 15-25 |
| Diameter | Ø1.9 | Ø2.0 | Ø2.5 | Ø2.9 |



| | | | | | |
|----------------|-----------|----------|----------|---------|-------|
| Drilling Speed | 1200-1500 | 900-1200 | 800-1200 | 500-700 | 15-25 |
| Diameter | Ø1.9 | Ø2.0 | Ø2.5 | Ø2.8 | Ø3.3 |




| | | | | | | | |
|----------------|-----------|----------|----------|---------|---------|---------|-------|
| Drilling Speed | 1200-1500 | 900-1200 | 800-1200 | 500-700 | 400-700 | 200-500 | 15-25 |
| Diameter | Ø1.9 | Ø2.0 | Ø2.5 | Ø2.8 | Ø3.2 | Ø3.75 | Ø3.75 |



> The drilling procedure is illustrated using 11.5 mm implant.

> Procedures recommended by Implanet cannot replace the judgment & clinical experience of the professional in place.



DNT2 Premium Coated Twisted Drills
Cuts Faster & Lasts Longer | Page 86

| | | | | | | | | |
|----------------|-----------|----------|----------|---------|---------|---------|---------|-------|
| Drilling Speed | 1200-1500 | 900-1200 | 800-1200 | 500-700 | 400-700 | 400-600 | 200-500 | 15-25 |
| Diameter | Ø1.9 | Ø2.0 | Ø2.5 | Ø2.8 | Ø3.2 | Ø3.65 | Ø4.2 | Ø4.2 |




| | | | | | | | | | |
|----------------|-----------|----------|----------|---------|---------|---------|---------|---------|-------|
| Drilling Speed | 1200-1500 | 900-1200 | 800-1200 | 500-700 | 400-700 | 400-600 | 300-500 | 200-500 | 15-25 |
| Diameter | Ø1.9 | Ø2.0 | Ø2.5 | Ø2.8 | Ø3.2 | Ø3.65 | Ø4.2 | Ø5.0 | Ø5.0 |



| | | | | | | | | | | |
|----------------|-----------|----------|----------|---------|---------|---------|---------|---------|---------|-------|
| Drilling Speed | 1200-1500 | 900-1200 | 800-1200 | 500-700 | 400-700 | 400-600 | 300-500 | 200-400 | 200-500 | 15-25 |
| Diameter | Ø1.9 | Ø2.0 | Ø2.5 | Ø2.8 | Ø3.2 | Ø3.65 | Ø4.2 | Ø5.2 | Ø6.0 | Ø6.0 |






U-Razor®

U-Razor®

Cylindrical Dental Implant

The U-Razor® implant presents a cylindrical and conical shaped implant structure to allow high initial stability. The safe U-Shaped threads design gives the surgeon a piece of mind in a complex bone cases of type 1 bone.



One Platform for all implant diameters. Color coding by platform for quick & easy prosthetic identification during procedures. Proper abutment seating and anti-rotational engagement.

Cylindrical Conical Body
The U-shaped threads structure was designed to allow high initial and long term stability.

S.L.A Surface treatment
Sand-blasting and acid etching. Creates both micro and nano structures and eliminates various surface contaminants.




Three Spiral Channels
With self tapping properties for easier and safer insertion even in type 1 bone.

Safe Insertion
Domed apex with the combination of wide apical surface structure creates stable grip into the bone. Designed especially for hard bone types.

U-Razor®




Implant Range

| L / Ø | Ø3.3 | Ø3.75 | Ø4.2 | Ø5.0 | Ø6.0 |
|--------------|-------------|--------------|-------------|-------------|-------------|
| 6mm | ---- | URZ-3706-SP | URZ-4206-SP | URZ-5006-SP | URZ-6006-SP |
| 8mm | URZ-3308-SP | URZ-3708-SP | URZ-4208-SP | URZ-5008-SP | URZ-6008-SP |
| 10mm | URZ-3310-SP | URZ-3710-SP | URZ-4210-SP | URZ-5010-SP | URZ-6010-SP |
| 11.5mm | URZ-3311-SP | URZ-3711-SP | URZ-4211-SP | URZ-5011-SP | URZ-6011-SP |
| 13mm | URZ-3313-SP | URZ-3713-SP | URZ-4213-SP | URZ-5013-SP | URZ-6013-SP |
| 16mm | URZ-3316-SP | URZ-3716-SP | URZ-4216-SP | URZ-5016-SP | ---- |
| APEXØ | Ø1.8 | Ø2.25 | Ø2.7 | Ø3.5 | Ø4.5 |



SP
2.42 Hex

U-Razor® Mountless Implant Packaging System



U-Razor® Mounted Implant Packaging System




Implant Identification & warranty label

| | |
|-------------------------------------|-------------|
| U-RAZOR® IMPLANET 2.42 Internal Hex | |
| URZ Ø4.2 -10mm | |
| REF | URZ-4210-SP |
| LOT | 21-1327 |
| | 12-2023 |
| STERILE R | |

Ø 4.2
L10.0

Diameter & Length Label



U-Razor® Drilling Procedure

! The drilling procedure is illustrated using 11.5 mm implant.

> Procedures recommended by Implanet cannot replace the judgment & clinical experience of the professional in place.

| | | | | | |
|----------------|-----------|----------|----------|---------|-------|
| Drilling Speed | 1200-1500 | 900-1200 | 800-1200 | 500-700 | 15-25 |
| Diameter | Ø1.9 | Ø2.0 | Ø2.5 | Ø2.8 | Ø3.3 |



| | | | | | | | |
|----------------|-----------|----------|----------|---------|---------|---------|-------|
| Drilling Speed | 1200-1500 | 900-1200 | 800-1200 | 500-700 | 400-700 | 200-500 | 15-25 |
| Diameter | Ø1.9 | Ø2.0 | Ø2.5 | Ø2.8 | Ø3.2 | Ø3.75 | Ø3.75 |



| | | | | | | | | |
|----------------|-----------|----------|----------|---------|---------|---------|---------|-------|
| Drilling Speed | 1200-1500 | 900-1200 | 800-1200 | 500-700 | 400-700 | 400-600 | 200-500 | 15-25 |
| Diameter | Ø1.9 | Ø2.0 | Ø2.5 | Ø2.8 | Ø3.2 | Ø3.65 | Ø4.2 | Ø4.2 |




| | | | | | | | | | |
|----------------|-----------|----------|----------|---------|---------|---------|---------|---------|-------|
| Drilling Speed | 1200-1500 | 900-1200 | 800-1200 | 500-700 | 400-700 | 400-600 | 300-500 | 200-500 | 15-25 |
| Diameter | Ø1.9 | Ø2.0 | Ø2.5 | Ø2.8 | Ø3.2 | Ø3.65 | Ø4.2 | Ø5.0 | Ø5.0 |



| | | | | | | | | | | |
|----------------|-----------|----------|----------|---------|---------|---------|---------|---------|---------|-------|
| Drilling Speed | 1200-1500 | 900-1200 | 800-1200 | 500-700 | 400-700 | 400-600 | 300-500 | 200-400 | 200-500 | 15-25 |
| Diameter | Ø1.9 | Ø2.0 | Ø2.5 | Ø2.8 | Ø3.2 | Ø3.65 | Ø4.2 | Ø5.2 | Ø6.0 | Ø6.0 |






Onix®



Onix®

One Piece Dental Implant

The Onix® Monoblock Implant features a unique structure design that integrates both implant and prosthetic in one solid body to allow simple one-stage procedure. Onix® Implant created especially for use in narrow ridges and tight spaces and it's mostly used to restore single crowns.



Easy Adjustment

One stage - One Size abutment created for simple insertion using one driver for all diameters and perfect fit for cemented crowns and bridges.

Concave Profile

Concave emergence profile designed to resemble the natural shape of the tooth. The unique concave shape offers aesthetic results, as well as allowing the gingival tissue to grow perfectly around the narrow neck.

Dual Thread Design

Unique dual thread design with tapered body for faster insertion and optimized stability.

S.L.A Surface Treatment

Sand-blasting and acid etching. Creates both micro and nano structures and eliminates various surface contaminants.



Self Drilling Features

Flat apex for self drilling capabilities and easy depth adjustments.



Onix®

Implant Range

| L / Ø | Ø3.0 | Ø3.3 | Ø3.75 |
|--------------|-------------|-------------|--------------|
| 10mm | ONX-3010 | ONX-3310 | ONX-3710 |
| 11.5mm | ONX-3011 | ONX-3311 | ONX-3711 |
| 13mm | ONX-3013 | ONX-3313 | ONX-3713 |
| 16mm | ONX-3016 | ONX-3316 | ONX-3716 |
| APEXØ | Ø1.0 | Ø1.3 | Ø1.75 |



Onix® Mounted Implant Packaging System



Onix®

Drilling Procedure

| | | | | |
|----------------|-----------|----------|---------|-------|
| Drilling Speed | 1200-1500 | 900-1200 | 700-900 | 15-25 |
| Diameter | Ø1.9 | Ø2.0 | Ø2.5 | Ø3.0 |



| | | | | | |
|----------------|-----------|----------|---------|---------|-------|
| Drilling Speed | 1200-1500 | 900-1200 | 700-900 | 500-700 | 15-25 |
| Diameter | Ø1.9 | Ø2.0 | Ø2.5 | Ø2.8 | Ø3.3 |



optional for Bone Types 1&2


| | | | | | | |
|----------------|-----------|----------|----------|---------|---------|-------|
| Drilling Speed | 1200-1500 | 900-1200 | 800-1200 | 500-700 | 400-700 | 15-25 |
| Diameter | Ø1.9 | Ø2.0 | Ø2.5 | Ø2.8 | Ø3.2 | Ø3.75 |



optional for Bone Types 1&2



- > The drilling procedure is illustrated using 11.5 mm implant.
- > Procedures recommended by Implanet cannot replace the judgment & clinical experience of the professional in place.




Onix® Ratchet Driver


One driver fits all Onix Implant diameters, for both wrench connections.
 Ø6.35 Hex & Ø4.0 Square
 Up to 40 Ncm Torque

HRD-ONX
 | Page 82



S.L.A Surface Treatment
 Ti-6AL-4V-ELI





Prosthetics



Healing Abutments

Ø 3.3 Titanium Healing Abutment NP

| | | | | | |
|---|---|---|---|---|--|
|  |  |  |  |  |  |
| Height | 2mm | 3mm | 4mm | 5mm | 6mm |
| REF | HA-3320-NP | HA-3330-NP | HA-3340-NP | HA-3350-NP | HA-3360-NP |








Ø 3.8 Titanium Healing Abutment SP

| | | | | | | |
|---|---|---|---|---|--|---|
|  |  |  |  |  |  |  |
| Height | 2mm | 3mm | 4mm | 5mm | 6mm | 7mm |
| REF | HA-3820-SP | HA-3830-SP | HA-3840-SP | HA-3850-SP | HA-3860-SP | HA-3870-SP |

Ø 4.5 Concave Titanium Healing Abutment SP

| | | | | | | |
|---|---|---|---|---|--|---|
|  |  |  |  |  |  |  |
| Height | 2mm | 3mm | 4mm | 5mm | 6mm | 7mm |
| REF | HA-C4520-SP | HA-C4530-SP | HA-C4540-SP | HA-C4550-SP | HA-C4560-SP | HA-C4570-SP |

Ø 4.5 Concave Aesthetic Titanium Healing Abutment SP

| | | | | | | |
|---|---|---|---|---|---|---|
|  |  |  |  |  |  |  |
| Height | 2mm | 3mm | 4mm | 5mm | 6mm | 7mm |
| REF | HA-CT4520-SP | HA-CT4530-SP | HA-CT4540-SP | HA-CT4550-SP | HA-CT4560-SP | HA-CT4570-SP |


Ø 4.6 Titanium Healing Abutment SP

| | | | | | | |
|---|---|---|---|---|---|---|
|  |  |  |  |  |  |  |
| Height | 2mm | 3mm | 4mm | 5mm | 6mm | 7mm |
| REF | HA-4620-SP | HA-4630-SP | HA-4640-SP | HA-4650-SP | HA-4660-SP | HA-4670-SP |

Ø 5.5 Titanium Healing Abutment SP



| | | | | | | |
|---|---|---|---|---|---|---|
|  |  |  |  |  |  |  |
| Height | 2mm | 3mm | 4mm | 5mm | 6mm | 7mm |
| REF | HA-5520-SP | HA-5530-SP | HA-5540-SP | HA-5550-SP | HA-5560-SP | HA-5570-SP |

Ø 6.3 Titanium Healing Abutment SP

| | | | | | | |
|---|---|---|---|---|---|---|
|  |  |  |  |  |  |  |
| Height | 3mm | 4mm | 5mm | 6mm | 7mm | 8mm |
| REF | HA-6330-SP | HA-6340-SP | HA-6350-SP | HA-6360-SP | HA-6370-SP | HA-6380-SP |

Ø 4.7 Zirconia Healing Abutment SP

| | | | | | |
|---|---|---|---|---|--|
|  |  |  |  |  |  |
| Height | 2mm | 3mm | 4mm | 5mm | 6mm |
| REF | HAZ-4702-SP | HAZ-4703-SP | HAZ-4704-SP | HAZ-4705-SP | HAZ-4706-SP |



• Enhanced Aesthetics

Golden anodized abuments is made to minimize the visibility of metal showing through the gingiva and implant crown.

Ti-6AL-4V-ELI

• Concave Profile

Concave emergence profile designed to resemble the natural shape of the tooth. The unique concave shape offers aesthetic results, as well as allowing the gingival tissue to grow perfectly around the narrow neck.

Straight Titanium Abutments

Ø 3.5 Straight Abutment NP Ø 3.7 Straight Slim Abutment SP

| | | | | | | |
|--------|------------|------------|--------|------------|------------|------------|
| | | | | | | |
| Length | 9mm | 11mm | Length | 6mm | 8mm | 11mm |
| REF | TA-3509-NP | TA-3511-NP | REF | TA-3706-SP | TA-3708-SP | TA-3711-SP |

Ø 4.5 Straight Abutment SP

| | | | | | | |
|--------|------------|------------|------------|------------|------------|------------|
| | | | | | | |
| Length | 5mm | 7mm | 9mm | 11mm | 13mm | 15mm |
| REF | TA-4505-SP | TA-4507-SP | TA-4509-SP | TA-4511-SP | TA-4513-SP | TA-4515-SP |

Ø 4.5 Straight Abutment SP

| | | | | | | |
|--------|-------------|-------------|-------------|-------------|-------------|-------------|
| | | | | | | |
| Length | 5mm | 7mm | 9mm | 11mm | 13mm | 15mm |
| REF | TA-T4505-SP | TA-T4507-SP | TA-T4509-SP | TA-T4511-SP | TA-T4513-SP | TA-T4515-SP |

● Included

Ø 3.6 Straight Shoulder Abutment NP

| | | | | |
|--------|-------------|-------------|-------------|-------------|
| | | | | |
| Height | 1mm | 2mm | 3mm | 4mm |
| REF | TSA-3610-NP | TSA-3620-NP | TSA-3630-NP | TSA-3640-NP |

Ø 3.7 Straight Slim Shoulder Abutment SP

| | | | |
|--------|-------------|-------------|-------------|
| | | | |
| Height | 0.5mm | 1.5mm | 2.5mm |
| REF | TSA-3700-SP | TSA-3715-SP | TSA-3725-SP |

Ø 4.6 Straight Shoulder Abutment SP

| | | | | |
|--------|-------------|-------------|-------------|-------------|
| | | | | |
| Height | 1mm | 2mm | 3mm | 4mm |
| REF | TSA-4610-SP | TSA-4620-SP | TSA-4630-SP | TSA-4640-SP |

Ø 4.6 Straight Shoulder Abutment SP

| | | | | |
|--------|--------------|--------------|--------------|--------------|
| | | | | |
| Height | 1mm | 2mm | 3mm | 4mm |
| REF | TSA-T4610-SP | TSA-T4620-SP | TSA-T4630-SP | TSA-T4640-SP |

Ø 5.4 Straight Wide Abutment SP

| | | |
|--------|------------|------------|
| | | |
| Length | 9mm | 11mm |
| REF | TA-5409-SP | TA-5411-SP |

Ø 5.5 Straight Wide Shoulder Abutment SP

| | | | | |
|--------|-------------|-------------|-------------|-------------|
| | | | | |
| Height | 1mm | 2mm | 3mm | 4mm |
| REF | TSA-5510-SP | TSA-5520-SP | TSA-5530-SP | TSA-5540-SP |

Ø 5.5 Straight Wide Shoulder Abutment SP

| | | | | |
|--------|--------------|--------------|--------------|--------------|
| | | | | |
| Height | 1mm | 2mm | 3mm | 4mm |
| REF | TSA-T5510-SP | TSA-T5520-SP | TSA-T5530-SP | TSA-T5540-SP |

● Included



● **Ti-6AL-4V-ELI**
 Our final restoration abutments are made from the topest quality raw materials in the medical industry.
 Up to 25 Ncm

● **Titanium Screw**
 Each abutment is supplied with its corresponded screw.
Ti-6AL-4V-ELI
 Up to 25 Ncm



Straight Titanium Anatomic Abutments

Ø 4.6 Straight Anatomic Abutment SP

| | | | | |
|--------|-------------|-------------|-------------|-------------|
| | | | | |
| Height | 1 mm | 2 mm | 3 mm | 4 mm |
| Length | 8.5mm | 9.5mm | 10.5mm | 11.5mm |
| REF | TAA-4610-SP | TAA-4620-SP | TAA-4630-SP | TAA-4640-SP |

Ø 4.6 Straight Concave Anatomic Abutment SP

| | | | | |
|--------|---------------|---------------|---------------|---------------|
| | | | | |
| Height | 1 mm | 2 mm | 3 mm | 4 mm |
| Length | 8.5mm | 9.5mm | 10.5mm | 11.5mm |
| REF | TAA-CT4610-SP | TAA-CT4620-SP | TAA-CT4630-SP | TAA-CT4640-SP |

● Included

Angled Titanium Abutments

15° Angled Abutment NP 15° Angled Abutment SP

| | | | | | |
|--------|-------------|--------|-------------|-------------|-------------|
| | | | | | |
| Length | 9 mm | Length | 7 mm | 9 mm | 11 mm |
| REF | TAN-1509-NP | REF | TAN-1507-SP | TAN-1509-SP | TAN-1511-SP |

25° Angled Abutment NP 25° Angled Abutment SP

| | | | | | |
|--------|-------------|--------|-------------|-------------|-------------|
| | | | | | |
| Length | 9 mm | Length | 7 mm | 9 mm | 11 mm |
| REF | TAN-2509-NP | REF | TAN-2507-SP | TAN-2509-SP | TAN-2511-SP |


35° Angled Abutment SP 45° Angled Abutment SP

| | | | |
|--------|-------------|--------|-------------|
| | | | |
| Length | 9 mm | Length | 9 mm |
| REF | TAN-3509-SP | REF | TAN-4509-SP |

● Included


Anatomic Angled Titanium Abutments

15° Anatomic Angled Abutment NP




| | | | | |
|--------|--------------|--------------|--------------|--------------|
| Height | 1 mm | 2 mm | 3 mm | 4 mm |
| Length | 8.5mm | 9.5mm | 10.5mm | 11.5mm |
| REF | TANA-1510-NP | TANA-1520-NP | TANA-1530-NP | TANA-1540-NP |

15° Anatomic Angled Abutment SP



| | | | | |
|--------|--------------|--------------|--------------|--------------|
| Height | 1 mm | 2 mm | 3 mm | 4 mm |
| Length | 8.5mm | 9.5mm | 10.5mm | 11.5mm |
| REF | TANA-1510-SP | TANA-1520-SP | TANA-1530-SP | TANA-1540-SP |

15° Concave Anatomic Angled Abutment SP



| | | | | |
|--------|----------------|----------------|----------------|----------------|
| Height | 1 mm | 2 mm | 3 mm | 4 mm |
| Length | 8.5mm | 9.5mm | 10.5mm | 11.5mm |
| REF | TANA-CT1510-SP | TANA-CT1520-SP | TANA-CT1530-SP | TANA-CT1540-SP |

● Included


Anatomic Angled Titanium Abutments

25° Anatomic Angled Abutment NP




| | | | | |
|--------|--------------|--------------|--------------|--------------|
| Height | 1 mm | 2 mm | 3 mm | 4 mm |
| Length | 8.5mm | 9.5mm | 10.5mm | 11.5mm |
| REF | TANA-2510-NP | TANA-2520-NP | TANA-2530-NP | TANA-2540-NP |

25° Anatomic Angled Abutment SP




| | | | | |
|--------|--------------|--------------|--------------|--------------|
| Height | 1 mm | 2 mm | 3 mm | 4 mm |
| Length | 8.5mm | 9.5mm | 10.5mm | 11.5mm |
| REF | TANA-2510-SP | TANA-2520-SP | TANA-2530-SP | TANA-2540-SP |

25° Concave Anatomic Angled Abutment SP



| | | | | |
|--------|----------------|----------------|----------------|----------------|
| Height | 1 mm | 2 mm | 3 mm | 4 mm |
| Length | 8.5mm | 9.5mm | 10.5mm | 11.5mm |
| REF | TANA-CT2510-SP | TANA-CT2520-SP | TANA-CT2530-SP | TANA-CT2540-SP |

● Included


Castable Anatomic Abutments

Ø 4.6 Straight Anatomic Plastic Abutment SP

| | | | | |
|--------|-------------|-------------|-------------|-------------|
| | | | | |
| Height | 1 mm | 2 mm | 3 mm | 4 mm |
| REF | CAA-4610-SP | CAA-4620-SP | CAA-4630-SP | CAA-4640-SP |

15° Angled Anatomic Plastic Abutment SP

| | | | | |
|--------|--------------|--------------|--------------|--------------|
| | | | | |
| Height | 1 mm | 2 mm | 3 mm | 4 mm |
| Length | 8.5 mm | 9.5 mm | 10.5 mm | 11.5 mm |
| REF | CANA-1510-SP | CANA-1520-SP | CANA-1530-SP | CANA-1540-SP |

25° Angled Anatomic Plastic Abutment SP

| | | | | |
|--------|--------------|--------------|--------------|--------------|
| | | | | |
| Height | 1 mm | 2 mm | 3 mm | 4 mm |
| Length | 8.5 mm | 9.5 mm | 10.5 mm | 11.5 mm |
| REF | CANA-2510-SP | CANA-2520-SP | CANA-2530-SP | CANA-2540-SP |

● Included

Castable Abutments

Ø 3.5 Plastic Abutment NP

| | | |
|--------|------------|--------------|
| | | |
| Length | 10.5 mm | 10.5 mm |
| REF | CA-3510-NP | CA-3510-NP-R |

Ø 3.7 Plastic Abutment SP

| | | |
|--------|------------|--------------|
| | | |
| Length | 10.5 mm | 10.5 mm |
| REF | CA-3710-SP | CA-3710-SP-R |

Titanium Base Plastic UCLA Abutment

Ø 3.8 NP

| | | |
|--------|-------------|---------------|
| | | |
| Height | 0.5 mm | 0.5 mm |
| Length | 10.5 mm | 10.5 mm |
| REF | CTA-3810-NP | CTA-3810-NP-R |

Ø 4.5 SP

| | | |
|--------|-------------|---------------|
| | | |
| Height | 0.5 mm | 0.5 mm |
| Length | 10.5 mm | 10.5 mm |
| REF | CTA-4510-SP | CTA-4510-SP-R |

Ø 4.5 Chrome-Cobalt Base Plastic UCLA Abutment SP

| | | | | | | |
|--------|-------------|---------------|-------------|---------------|-------------|---------------|
| | | | | | | |
| Height | 0.5 mm | 0.5 mm | 1.5 mm | 1.5 mm | 3.0 mm | 3.0 mm |
| Length | 10.5 mm | 10.5 mm | 11.5 mm | 11.5 mm | 13.0 mm | 13.0 mm |
| REF | CCA-4505-SP | CCA-4505-SP-R | CCA-4515-SP | CCA-4515-SP-R | CCA-4530-SP | CCA-4530-SP-R |

● Included

Zirconia Anatomic Ti-Base Abutments

Ø 4.6 Straight Anatomic Zirconia Abutment NP

| | | | | |
|--------|-------------|-------------|-------------|-------------|
| Height | 0.5mm | 1mm | 2mm | 3mm |
| Length | 9mm | 9.5mm | 10.5mm | 11.5mm |
| REF | ZAA-4600-NP | ZAA-4610-NP | ZAA-4620-NP | ZAA-4630-NP |

Ø 4.6 Straight Anatomic Zirconia Abutment SP

| | | | | |
|--------|-------------|-------------|-------------|-------------|
| Height | 0.5mm | 1mm | 2mm | 3mm |
| Length | 9mm | 9.5mm | 10.5mm | 11.5mm |
| REF | ZAA-4600-SP | ZAA-4610-SP | ZAA-4620-SP | ZAA-4630-SP |

15° Angled Anatomic Zirconia Abutment NP

| | | | | |
|--------|--------------|--------------|--------------|--------------|
| Height | 0.5mm | 1mm | 2mm | 3mm |
| Length | 9mm | 9.5mm | 10.5mm | 11.5mm |
| REF | ZANA-1500-NP | ZANA-1510-NP | ZANA-1520-NP | ZANA-1530-NP |

● Included

15° Angled Anatomic Zirconia Abutment SP

| | | | | |
|--------|--------------|--------------|--------------|--------------|
| Height | 0.5mm | 1mm | 2mm | 3mm |
| Length | 9mm | 9.5mm | 10.5mm | 11.5mm |
| REF | ZANA-1500-SP | ZANA-1510-SP | ZANA-1520-SP | ZANA-1530-SP |

25° Angled Anatomic Zirconia Abutment NP

| | | | | |
|--------|--------------|--------------|--------------|--------------|
| Height | 0.5mm | 1mm | 2mm | 3mm |
| Length | 9mm | 9.5mm | 10.5mm | 11.5mm |
| REF | ZANA-2500-NP | ZANA-2510-NP | ZANA-2520-NP | ZANA-2530-NP |

25° Angled Anatomic Zirconia Abutment SP

| | | | | |
|--------|--------------|--------------|--------------|--------------|
| Height | 0.5mm | 1mm | 2mm | 3mm |
| Length | 9mm | 9.5mm | 10.5mm | 11.5mm |
| REF | ZANA-2500-SP | ZANA-2510-SP | ZANA-2520-SP | ZANA-2530-SP |

● Included

Temporary Abutments

Ø4.6 Straight Temporary Titanium Abutment SP

| | | | |
|--------|-------------|--------|---------------|
| | | | |
| Height | 2mm | Height | 2mm |
| Length | 9.5mm | Length | 9.5mm |
| REF | TTA-4609-SP | REF | TTA-4609-SP-R |

Ø4.6 Straight Anatomic Peek Abutment SP

| | | | | |
|--------|------------|------------|------------|------------|
| | | | | |
| Height | 1mm | 2mm | 3mm | 4mm |
| Length | 8.5mm | 9.5mm | 10.5mm | 11.5mm |
| REF | PA-4610-SP | PA-4620-SP | PA-4630-SP | PA-4640-SP |

15° Angled Anatomic Peek Abutment SP

| | | | | |
|--------|--------------|--------------|--------------|--------------|
| | | | | |
| Height | 1mm | 2mm | 3mm | 4mm |
| Length | 8.5mm | 9.5mm | 10.5mm | 11.5mm |
| REF | PANA-1510-SP | PANA-1520-SP | PANA-1530-SP | PANA-1540-SP |

● Included


25° Angled Anatomic Peek Abutment SP

| | | | | |
|--------|--------------|--------------|--------------|--------------|
| | | | | |
| Height | 1mm | 2mm | 3mm | 4mm |
| Length | 8.5mm | 9.5mm | 10.5mm | 11.5mm |
| REF | PANA-2510-SP | PANA-2520-SP | PANA-2530-SP | PANA-2540-SP |

● Included


PEEK ●

Used for fabrication of cement or screw retained provisional restorations (up to 30 days). Supplied with a titanium screw.
PEEK (Poly-Ether-Ether-Ketone)
 Up to 25 Ncm




Impression Copings

Ø 3.2 Open Tray NP




Length 12 mm

REF TOT-3212-NP




Included SCT-24-NP

Ø 4.0 Open Tray SP




Length 12 mm

REF TOT-4012-SP




Included SCT-24-SP

Ø 4.8 Open Tray SP




Length 12 mm

REF TOT-4812-SP




Included SCT-24-SP

Ø 4.6 Open Tray Short SP




Length 8 mm

REF TOT-4608-SP




Included SCT-16-SP

Ø 3.2 Closed Tray NP




Length 8 mm

REF TCT-3208-NP




Included SCT-13-NP

Ø 3.8 Closed Tray SP




Length 12 mm

REF TCT-3812-SP




Included SCT-16-SP

Ø 4.7 Closed Tray SP




Length 12 mm

REF TCT-4712-SP




Included SCT-16-SP

Ø 4.7 Closed Tray Short SP



Length 8 mm

REF TCT-4708-SP



Included SCT-13-SP

Transfer Screw

Supplied with each impression coping according to the impression type.

Medical Grade Stainless Steel

Up to 30 Ncm

1.25 Hex Driver Connection

Impression Copings

We provide a choice between open or closed tray impression techniques. A wide variety of copings are available for either implant level or abutment level procedures and for all restoration types.
Medical Grade Stainless Steel



Ø 4.7 Closed Tray Press Clip **SP**



| | | |
|--------|-------------|-------------|
| Length | 9mm | 13mm |
| REF | TCP-4709-SP | TCP-4713-SP |

Ø 4.8 Transfer Abutment w/ Plastic Transfer **NP**



| | | | | | |
|--------|------------|------------|------------|------------|------------|
| Height | 1mm | 2mm | 3mm | 4mm | 5mm |
| REF | TB-4810-NP | TB-4820-NP | TB-4830-NP | TB-4840-NP | TB-4850-NP |

Ø 4.8 Transfer Abutment w/ Plastic Transfer **SP**



| | | | | | |
|--------|------------|------------|------------|------------|------------|
| Height | 1mm | 2mm | 3mm | 4mm | 5mm |
| REF | TB-4810-SP | TB-4820-SP | TB-4830-SP | TB-4840-SP | TB-4850-SP |

● Included



Screw-Less
press clip solution.
Medical Grade Stainless Steel




● **Snap-On System**
Simple to use snap on cap
for direct impression
POM Plastic
Press Click System

● **Transfer Abutment**
Used to take direct impression and
also used as final restoration cemented
abutment.
Ti-6AL-4V-ELI
Up to 25 Ncm


Implant Analogs

Ø 3.3 Analog NP




Length 12.75 mm
REF IA-3312-NP

Ø 3.8 Analog SP



Length 12.75 mm
REF IA-3812-SP

Ø 5.0 Wide Analog SP



Length 12.75 mm
REF IA-5012-SP

Medical Grade
Stainless Steel


Platform
Identification
1 Stripe NP
2 Stripes SP



2.1 Hex
NP


2.42 Hex
SP

Ø 3.3 Analog NP




Length 12.75 mm
REF ITA-3312-NP

Ø 3.8 Analog SP



Length 12.75 mm
REF ITA-3812-SP

Ø 5.0 Wide Analog SP



Length 12.75 mm
REF ITA-5012-SP

Titanium Implant Analog
Color anodized for easy platform
identification.
Blue SP
Purple NP
Ti-6AL-4V-ELI



Abutment Screws

| NP | | | SP | | |
|--------|-----------|------------|--------|-----------|------------|
| | | | | | |
| Length | 8 mm | 8 mm | Length | 8 mm | 8 mm |
| REF | SC-M16-NP | SCA-M16-NP | REF | SC-172-SP | SCA-172-SP |

Transfer Screws

| Closed Tray NP | | Closed Tray SP | | Closed/ Open SP | |
|----------------|-----------|----------------|-----------|-----------------|-----------|
| | | | | | |
| Length | 13 mm | Length | 13 mm | Length | 16 mm |
| REF | SCT-13-NP | REF | SCT-13-SP | REF | SCT-16-SP |

Zirconia Abutment screws

| NP | | | SP | | |
|--------|----------|-----------|--------|----------|-----------|
| | | | | | |
| Length | 8 mm | 8 mm | Length | 8 mm | 8 mm |
| REF | SC-ZR-NP | SCA-ZR-NP | REF | SC-ZR-SP | SCA-ZR-SP |

| Open Tray | | SP | |
|-----------|-----------|--------|-----------|
| | | | |
| Length | 24 mm | Length | 24 mm |
| REF | SCT-24-NP | REF | SCT-24-SP |

● **Titanium Screw**
 Each abutment is supplied with its corresponded screw.
Ti-6AL-4V-ELI
 Up to 25 Ncm






Multi Systems




Ball Attachments


Ø 4.0 Straight Ball Attachment NP





Ø 4.0 Straight Ball Attachment SP




Ø 4.0 Straight Aesthetic Ball Attachment NP



Ø 4.0 Straight Aesthetic Ball Attachment SP



Ø 4.0 Ball Attachment Analog



- 1.72 UNF SP Screw size
- M1.6 NP Screw size

Ball Attachment Components

| | | | | | |
|---------------------|--------------------|----------------------|---------------------|-----------------|--------------------|
| | | | | | |
| Clear Retention Cap | Pink Retention Cap | Yellow Retention Cap | Black Retention Cap | Metal Housing | Protective Disc |
| Standard 1.3 kg | Soft 0.9 kg | Extra Soft 0.5 kg | Lab Use | Stainless Steel | Retentive Silicone |
| BA-RCC13 | BA-RCP09 | BA-RCY05 | BA-RCB00 | BA-MH | BA-PDR |

Click Attachments

Ø 4.0 Straight Click Attachment NP



Ø 4.0 Straight Click Attachment SP




17° Angled Click Attachment SP




30° Angled Click Attachment SP



Ø 4.0 Click Attachment Analog



Ø 4.5 Direct Impression for Click Attachment



Impression Coping

For direct impression from the Click Attachment Abutment.

Assembled w/ *Pink Cap*
Medical grade Stainless Steel



Click Attachment Components

| | | | | | | |
|---------------------|--------------------|----------------------|----------------------|---------------------|-----------------|--------------------|
| | | | | | | |
| Clear Retention Cap | Pink Retention Cap | Yellow Retention Cap | Purple Retention Cap | Black Retention Cap | Metal Housing | Protective Disc |
| Standard 1.8 kg | Soft 1.2 kg | Extra Soft 0.6 kg | Hard 2.7 kg | Lab Use | Stainless Steel | Retentive Silicone |
| LOC-RCC18 | LOC-RCP12 | LOC-RCY06 | LOC-RCP27 | LOC-RCB00 | LOC-MH | LOC-PDR |

Straight Multi Unit


Ø 5.0 Straight Multi Unit NP




Ø 5.0 Straight Multi Unit SP



Ø 5.0 Straight Aesthetic Multi Unit NP



Ø 5.0 Straight Aesthetic Multi Unit SP




Angled Multi Unit

9° Angled Multi Unit SP




9° Aesthetic Angled Multi Unit SP



17° Angled Multi Unit SP




17° Aesthetic Angled Multi Unit SP



30° Angled Multi Unit SP




30° Aesthetic Angled Multi Unit SP



Included

Multi-Unit Components





Digital Solutions

CAD/CAM

Ø 3.5 Scan Body NP



Length 7mm 9mm

REF PSA-3507-NP PSA-3509-NP


Ø 4.5 Scan Body SP



Length 7mm 9mm

REF PSA-4507-SP PSA-4509-SP

Ø 3.5 Titanium Base for Implant NP



Height 0.5mm 0.5mm 1.5mm 1.5mm 2.5mm 2.5mm

REF TIA-3500-NP TIA-3500-NP-R TIA-3515-NP TIA-3515-NP-R TIA-3525-NP TIA-3525-NP-R


Ø 4.5 Titanium Base for Implant SP



Height 0.5mm 0.5mm 1.5mm 1.5mm 2.5mm 2.5mm

REF TIA-4500-SP TIA-4500-SP-R TIA-4515-SP TIA-4515-SP-R TIA-4525-SP TIA-4525-SP-R


Ø 5.0 Multi-Unit Titanium Base



Length 4.5mm

REF MU-TIA

Ø 5.0 Multi-Unit Scan Body



Length 6mm


REF MU-SPA

● Included



Digital Model Analogs


Ø 3.3 Analog NP



Length 9.5mm

REF DA-3395-NP


Ø 3.75 Analog SP



Length 9.5mm


REF DA-3895-SP

Ø 5.0 MU Analog



Length 10mm

REF MU-DAN



Scan Bodies

There is no better method to capture your implant position and angulation than with scan body Peek Abutment. A quick post-surgery scan tells you everything you need to know. The benefit for dentists is that they get a quicker workflow because of a faster case setup.
PEEK
(Poly-Ether-Ether-Ketone)
Up to 25 Ncm

CAD/CAM Ti-Bases


We offer extensive variety of Titanium Interfaces for simple procedured and precise digital workflow.
Ti-6AL-4V-ELI
Up to 25 Ncm



● Download Our CAD/CAM Libraries

www.implanet.net
Or Scan the QR Code Above
Available for the leading CAD softwares.





Bio Materials

Bio-Active Coral Bone Graft



Bio-Active Coral Bone Graft Material
2.0ml Granule Size 1600-2000 Micron

CB2000G20



Bio-Active Coral Bone Graft Material
1.0ml Granule Size 1600-2000 Micron

CB2000G10



Bio-Active Coral Bone Graft Material
1.0ml Granule Size 600-1000 Micron

CB1000G10



Bio-Active Coral Bone Graft Material
1.0ml Granule Size 300-450 Micron

CB500G10



Bio-Active Coral Bone Graft Material
0.5ml Granule Size 600-1000 Micron

CB1000G5



Bio-Active Coral Bone Graft Material
0.5ml Granule Size 300-450 Micron

CB500G5




Why Coral Bone Alternative?


CoreBone is a natural alternative to current synthetic, bovine and human derived bone grafts. It provides volume maintenance, remodeling by osteoclastic activity and required bone formation qualities without the limitations associated with animal or human sources, and better biological safety profile.



CoreBone Coral Farm

CoreBone corals are grown in a closed, controlled aquatic (aquarium) system. Using proprietary technology and laboratory-made sea water enriched with bioactive nutrients and CoreBone's own coral breeding source. This enables CoreBone to leverage the coral natural bone-like properties, prevent sea pollution related risks and ensure product consistency.






Tools




Implant Drivers

Ø 2.1 Motor Mount NP



Ø 2.42 Motor Mount SP




Ø 2.1 Ratchet Driver NP



Ø 2.42 Ratchet Driver SP




Ratchet Driver for Onix® Implant




● **Color Marking**
For easy and proper platform identification.
NP SP

● **2 Torquing options**
Fits Both Square Ø4.0 & Hex Ø6.35 Ratchet Wrenches.
Medical Grade Stainless Steel




Screw Drivers


Ø 1.25 Motor Mount



Ø 1.25 Ratchet Driver



Ø 1.25 Hand Hex Driver




● **1.25 Hex**
One Driver Fits All Prosthetics.
Medical Grade Stainless Steel




Instruments



Ø 3.0 Parallel Pins



Ø 4.0 Hand Manual Tissue Punch




● **Torque Range**
Adjustable torque range.
Medical Grade Stainless Steel
15-45 Ncm



● **Ø6.35 Hex Head**
Supplied by choice with Ø4.0 Square Head. Additionally or separately.
Medical Grade Stainless Steel


Drills - External Irrigation

Ø 1.9 Marking Drill & Extender Ø 2.0 Lance Drills




Countersink Drills


Trephine Drills




Short Drills



Standard Drills









DNT2 Coated Drills









Drill Stoppers







Ø 2.0 Stoppers

| | | | | | | |
|--------|---|---|---|---|---|---|
| |  |  |  |  |  |  |
| Length | 6mm | 8mm | 10mm | 11.5mm | 13mm | 16mm |
| REF | DRS-2006 | DRS-2008 | DRS-2010 | DRS-2011 | DRS-2013 | DRS-2016 |







Ø 2.5 Stoppers

| | | | | | | |
|--------|---|---|---|---|---|---|
| |  |  |  |  |  |  |
| Length | 6mm | 8mm | 10mm | 11.5mm | 13mm | 16mm |
| REF | DRS-2506 | DRS-2508 | DRS-2510 | DRS-2511 | DRS-2513 | DRS-2516 |







Ø 2.8 Stoppers

| | | | | | | |
|--------|---|---|---|---|---|---|
| |  |  |  |  |  |  |
| Length | 6mm | 8mm | 10mm | 11.5mm | 13mm | 16mm |
| REF | DRS-2806 | DRS-2808 | DRS-2810 | DRS-2811 | DRS-2813 | DRS-2816 |







Ø 3.2 Stoppers

| | | | | | | |
|--------|---|---|---|---|---|---|
| |  |  |  |  |  |  |
| Length | 6mm | 8mm | 10mm | 11.5mm | 13mm | 16mm |
| REF | DRS-3206 | DRS-3208 | DRS-3210 | DRS-3211 | DRS-3213 | DRS-3216 |





Ø 3.65 Stoppers

| | | | | | | |
|--------|---|---|---|---|---|---|
| |  |  |  |  |  |  |
| Length | 6mm | 8mm | 10mm | 11.5mm | 13mm | 16mm |
| REF | DRS-3606 | DRS-3608 | DRS-3610 | DRS-3611 | DRS-3613 | DRS-3616 |

Ø 4.2 Stoppers

| | | | | | | |
|--------|---|---|---|---|---|---|
| |  |  |  |  |  |  |
| Length | 6mm | 8mm | 10mm | 11.5mm | 13mm | 16mm |
| REF | DRS-4206 | DRS-4208 | DRS-4210 | DRS-4211 | DRS-4213 | DRS-4216 |

Ø 5.2 Stoppers

| | | | | | | |
|--------|---|---|---|---|---|---|
| |  |  |  |  |  |  |
| Length | 6mm | 8mm | 10mm | 11.5mm | 13mm | 16mm |
| REF | DRS-5206 | DRS-5208 | DRS-5210 | DRS-5211 | DRS-5213 | DRS-5216 |

Surgical Kits

ImplaKit® Starter Surgical Kit

KIT-STR



implaKit® Starter Components

- | | | | | | |
|---|---|---|---|---|---|
|  Ratchet Wrench Ø6.35 RW-6300 |  Ratchet Hex Driver Screw Ø1.25 - L7.0mm HRD-1207 |  Ratchet Hex Driver Screw Ø1.25 - L15mm HRD-1215 |  Ratchet Hex Driver Implant Ø2.42 - L7.0mm SP HRD-2407-SP |  Ratchet Hex Driver Implant Ø2.42 - L15mm SP HRD-2415-SP |  Motor Mount Screw Ø1.25 - L22mm HMM-1222 |
|  Motor Mount Screw Ø1.25 - L28mm HMM-1228 |  Motor Mount Implant Ø2.42 - L22mm SP HMM-2422-SP |  Motor Mount Implant Ø2.42 - L28mm SP HMM-2428-SP |  Hand Hex Driver Screw Ø1.25 - L7.0mm HHD-1207 |  Hand Hex Driver Screw Ø1.25 - L14mm HHD-1214 |  Parallel Pin Short 10mm PP-3010 |
|  Parallel Pin Long 16mm PP-3016 |  Countersink Drill Ø3.75 - Ø4.2mm DRCS-1034 |  Countersink Drill Ø3.75 - Ø4.2mm DRCS-1056 |  Drill Extender Length 12mm DRE-3412 |  Ø 1.9 Marking Drill Length 34mm DRM-3419 |  Ø 2.0 Drill Length 16mm DR-1620 |
|  Ø 2.5 Drill Length 16mm DR-1625 |  Ø 2.8 Drill Length 16mm DR-1628 |  Ø 3.2 Drill Length 16mm DR-1632 |  Ø 3.65 Drill Length 16mm DR-1636 |  Ø 4.2 Drill Length 16mm DR-1642 |  Ø 5.2 Drill Length 16mm DR-1652 |

ImplaKit® Advanced Surgical Kit

KIT-ADV



implaKit® Advanced Components

- Ratchet Wrench
Ø6.35
RW-6300
- Depth Probe
L6-16mm
DPIG-16
- Ratchet Hex Driver
Screw Ø1.25 - L7.0mm
HRD-1207
- Ratchet Hex Driver
Screw Ø1.25 - L15mm
HRD-1215
- Ratchet Hex Driver
Implant Ø2.42 - L7.0mm SP
HRD-2407-SP
- Ratchet Hex Driver
Implant Ø2.42 - L15mm SP
HRD-2415-SP
- Motor Mount
Screw Ø1.25 - L22mm
HMM-1222
- Motor Mount
Screw Ø1.25 - L28mm
HMM-1228
- Motor Mount
Implant Ø2.42 - L22mm SP
HMM-2422-SP
- Motor Mount
Implant Ø2.42 - L28mm SP
HMM-2428-SP
- Hand Hex Driver
Screw Ø1.25 - L7.0mm
HHD-1207
- Hand Hex Driver
Screw Ø1.25 - L14mm
HHD-1214
- Parallel Pin
Short 10mm
PP-3010
- Parallel Pin
Long 16mm
PP-3016
- Countersink Drill
Ø3.75 - Ø4.2mm
DRCS-1034
- Countersink Drill
Ø5.0 - Ø6.0mm
DRCS-1056
- Drill Extender
Length 12mm
DRE-3412
- Ø1.9 Marking Drill
Length 34mm
DRM-3419
- Ø2.0 Drill
Length 16mm
DR-1620
- Ø2.5 Drill
Length 16mm
DR-1625
- Ø2.8 Drill
Length 16mm
DR-1628
- Ø3.2 Drill
Length 16mm
DR-1632
- Ø3.65 Drill
Length 16mm
DR-1636
- Ø4.2 Drill
Length 16mm
DR-1642
- Ø5.2 Drill
Length 16mm
DR-1652

Stopper Kit - Integral Stopper Drill Kit

KIT-STP



Integral Stopper Kit Components

Ø2.0

| | | | | |
|--|--|---|---|---|
|  Integral Stopper Drill Length 6mm DRIS-2006 |  Integral Stopper Drill Length 8mm DRIS-2008 |  Integral Stopper Drill Length 10mm DRIS-2010 |  Integral Stopper Drill Length 11.5mm DRIS-2011 |  Integral Stopper Drill Length 13mm DRIS-2013 |
|--|--|---|---|---|

Ø2.5

| | | | | |
|--|--|---|---|---|
|  Integral Stopper Drill Length 6mm DRIS-2506 |  Integral Stopper Drill Length 8mm DRIS-2508 |  Integral Stopper Drill Length 10mm DRIS-2510 |  Integral Stopper Drill Length 11.5mm DRIS-2511 |  Integral Stopper Drill Length 13mm DRIS-2513 |
|--|--|---|---|---|

Ø2.8

| | | | | |
|--|--|---|---|---|
|  Integral Stopper Drill Length 6mm DRIS-2806 |  Integral Stopper Drill Length 8mm DRIS-2808 |  Integral Stopper Drill Length 10mm DRIS-2810 |  Integral Stopper Drill Length 11.5mm DRIS-2811 |  Integral Stopper Drill Length 13mm DRIS-2813 |
|--|--|---|---|---|

Ø3.2


| | | | | |
|--|--|---|---|---|
|  Integral Stopper Drill Length 6mm DRIS-3206 |  Integral Stopper Drill Length 8mm DRIS-3208 |  Integral Stopper Drill Length 10mm DRIS-3210 |  Integral Stopper Drill Length 11.5mm DRIS-3211 |  Integral Stopper Drill Length 13mm DRIS-3213 |
|--|--|---|---|---|

Ø3.65

| | | | | |
|--|--|---|---|---|
|  Integral Stopper Drill Length 6mm DRIS-3606 |  Integral Stopper Drill Length 8mm DRIS-3608 |  Integral Stopper Drill Length 10mm DRIS-3610 |  Integral Stopper Drill Length 11.5mm DRIS-3611 |  Integral Stopper Drill Length 13mm DRIS-3613 |
|--|--|---|---|---|

Ø4.2

| | | | | |
|--|--|---|---|---|
|  Integral Stopper Drill Length 6mm DRIS-4206 |  Integral Stopper Drill Length 8mm DRIS-4208 |  Integral Stopper Drill Length 10mm DRIS-4210 |  Integral Stopper Drill Length 11.5mm DRIS-4211 |  Integral Stopper Drill Length 13mm DRIS-4213 |
|--|--|---|---|---|



Implanet Dental Implant Systems Ltd.
info@implanet.net | www.implanet-dental.com
Tel +972-733500609 | Mobile +972-544215025
Ha Haruv 6, P.O Box 91, Bar-Lev Industrial Park, Israel